

SAFETRAY PALLOX - WOCOSEN 250 EC - WOCOSEN TRAY

1. Product and company identification

Product name	SAFETRAY PALLOX WOCOSEN 250 EC WOCOSEN TRAY	Company/undertaking identification	Janssen Pharmaceutica NV Turnhoutseweg 30 B-2340 Beerse, Belgium
Product identification	GA049362	Email address:	RA-JANBE-SAFETYDA@JANBE.JNJ.COM
Product Code no.	060856	Emergency telephone number	national: 014/60 22 22 international: 32 14/60 22 22
Product application	Wood Protection		

2. Hazards identification

Human health hazards Harmful if swallowed. May cause sensitization by skin contact.

Environmental hazards Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

3. Information on ingredients and substances of concern

CAS no.	Identification	Einecs- Elincs no.	%	Symbols	R- phrases
60207-90-1	(±) (cis-trans)1-((2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl-methyl)-1H-1,2,4-triazole	262-104-4	25 % w/w	Xn N	R22 R43 R50-53

4. First-aid measures

Ingestion Repeatedly administer water in large quantities. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Call a physician.

Skin contact Remove contaminated clothing and wash exposed skin with plenty of soap and water. Contaminated clothing must be washed before re-use.

Eye contact Immediately flush eyes with plenty of water for at least 10 minutes, and call a physician.

Inhalation If symptoms are experienced, move to fresh air and get medical attention.

Note to physician No specific antidote known. Symptomatic treatment.

**SAFETRAY PALLOX
WOCOSEN 250 EC
WOCOSEN TRAY**

SAFETY DATA SHEET (Directive 1907/2006/EEC)

5. Fire-fighting measures

Extinguishing media	Dry chemical powder, CO ₂ , sand, foam or water.
Special exposure hazards	Combustion may generate toxic fumes.
Special protective equipment for firefighters	Gloves, protective clothing and respiratory protection.

6. Accidental release measures

Personal precautions	See section 8 for personal protection measures.
Environmental precautions	Keep spills and cleaning runoffs away from drains, surface- and ground-water and soil.
Methods for cleaning up	See section 13 for disposal recommendations.

7. Handling and storage

Handling	Good standards of hygiene should be maintained at all times. Smoking, eating and drinking is prohibited in the working area. For personal protection see section 8.
Storage	Keep out of reach of children, in well closed containers in a dry and well ventilated place, away from food and feed. Do not store near sources of ignition.

8. Exposure controls and personal protection

Respiratory protection	Avoid breathing spray mist. Normally non required under normal treatment and at room temperature. In the event of atomization or at high temperatures: gas mask.
Hand protection	Impervious gloves.
Eye protection	Goggles or face shield.
Skin protection	Closed working clothing (overall).
Other protective equipment	Eye fountain and washing facilities at work area.

SAFETRAY PALLOX
WOCOSEN 250 EC
WOCOSEN TRAY

SAFETY DATA SHEET (Directive 1907/2006/EEC)

9. Physical and chemical properties

General information:

Appearance clear, slightly brown liquid
Odour sweet odour, characteristic of ethoxylated castor oil

Important health, safety and environmental information:

pH 5.50
Boiling point ()
Flash point > 120 °C
(Pensky-Martens cc.)
Explosive properties not applicable
Oxidizing properties not applicable
Evaporation rate ()
Vapour pressure ()
Viscosity 69.2 mPas (20°C)
Volatility 46.0 % (after 24h at 100 °C)
Vapour density ()
Relative density 1.058 g/ml (22 °C)
Partition coefficient .. ()
Solubility
Water solubility
dilutable with water
Fat solubility
()
Solubility in solvents
()

Other information:

Melting point not applicable
Miscibility No differences in appearance noted between start and end of test (CIPAC MT 36.2.1)

Conductivity ()
pK/a ()
Refraction index ()
Auto-ignition temperature 290 ± 3 °C (101.7 kPa)

10. Stability and reactivity

Conditions to avoid This material is considered stable for at least 3 years at ambient temperature, 6 months at 40 °C and 7 days at 0 °C when stored in original and well-closed container.

Materials to avoid No corrosivity to be expected.

Hazardous decomposition products No indication of degradation was found after storage under the investigated conditions.

**SAFETRAY PALLOX
WOCOSEN 250 EC
WOCOSEN TRAY**

SAFETY DATA SHEET (Directive 1907/2006/EEC)

14. Transport information

IMDG/IMO:

UN-Number: 3082
Hazard class: 9
Packing group: III
Labels: 9
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(PROPICONAZOLE)

ADR/RID:

UN-Number: 3082
Hazard class: 9
Packing group: III
Labels: 9
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(PROPICONAZOLE)

ICAO/IATA

UN-Number: 3082
Hazard class: 9
Packing group: III
Labels: 9
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(PROPICONAZOLE)

**SAFETRAY PALLOX
WOCOSEN 250 EC
WOCOSEN TRAY**

SAFETY DATA SHEET (Directive 1907/2006/EEC)

15. Regulatory information on the formulation

EEC Directives 67/548 and 1999/45:

**Symbol: Xn (Harmful)
N (Dangerous for the environment)**

Hazard phrases:

R22 Harmful if swallowed.
R43 May cause sensitization by skin contact.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Safety phrases: PROFESSIONAL USE

S21 When using do not smoke.
S36/37 Wear suitable protective clothing and gloves.
S46 If swallowed, seek medical advice immediately and show this container or label.
S60 This material and its container must be disposed of as hazardous waste.
S61 Avoid release to the environment. Refer to special instructions/Safety data sheets.

PRIVATE USE

S2 Keep out of reach of children.
S13 Keep away from food, drink and animal feeding stuffs.
S21 When using do not smoke.
S29 Do not empty into drains.
S36/37 Wear suitable protective clothing and gloves.
S46 If swallowed, seek medical advice immediately and show this container or label.

16. Other information

Recommended use:

Fungicide for wood preservative uses.

Relevant R-phrases:

R22: Harmful if swallowed.
R43: May cause sensitization by skin contact.
R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Amendments to previous version:

under points 1, 2, 3 and 14.

The information in this safety data sheet is based on our present knowledge and current EEC regulations but no warranty, express or implied, is made.